ELSEVIER

Neuroscience Letters 366 (2004) 347–351

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 366

Akai, M., see Kuramochi, R., 206
Akkermans, E., see Balter, S.G.T., 71
Alku, P., see Ilvonen, T., 235
Amenta, F., see Tullio, M.A.D., 48
Amouyel, P., see Levecque, C., 135
Anderson, K.L., Pinkerton, K.E., Uyeminami, D., Simons, C.T., Carstens, M.I., Carstens, E., Antinociception induced by chronic exposure of rats to cigarette smoke, 86
Ando, S., see Iwamoto, M., 277
Aoyama, R., see Ito, Y., 103

Baba, T., see Terada, N., 15
Balter, S.G.T., Stokroos, R.J., Akkermans, E., Kingma, H., Habituation to galvanic vestibular stimulation for analysis of postural control abilities in gymnasts, 71
Batinic-Haberle, I., see Sheng, H., 220
Batista, A.P., see Horwitz, G.D., 315
Berciano, J., see Combarros, O., 312
Bette, M., Roehrenbeck, A., Dietzschold, B., Weihe, E., Neuropeptide Y up-regulation in cerebrocortical neurons after Borna Disease Virus infection is unrelated to brain inflammation in rats, 197
Bian, L., see Duan, S., 139
Boismenu, R., see Tay, J., 176
Borghi, R., Piccini, A., Delacourte, A., Strocchi, P., Zaccheo, D., Tabaton, M., Protein levels of glycogen synthase 3 kinase are normal in progressive supranuclear palsy, 67
Borrelli, E., see Vargas-Pérez, H., 172
Brumagne, S., Cordo, P., Verschueren, S., Proprioceptive weighting changes in persons with low back pain and elderly persons during upright standing, 63
Bubenikova, V., see Stuchlik, A., 162
Butterworth, R.F., see Chan, H., 231

Cai, W.-q., see Fan, X.-t., 107
Caron, O., Fontanari, P., Cremieux, J., Joulia, F., Effects of ventilation on body sway during human standing, 6
Carstens, E., see Anderson, K.L., 86
Carstens, M.I., see Anderson, K.L., 86
Catanese, J., see Li, Y., 268
Cavalheiro, E.A., see Costa, M.S., 292
Chakarov, V., see Kristeva, R., 259
Chan, H., Butterworth, R.F., Hazell, A.S., Primary cultures of rat astrocytes respond to thiamine deficiency-induced swelling by downregulating aquaporin-4 levels, 231
Chang, S.-L., see Lin, J.-G., 39
Chang, X.-R., see Liu, J.-H., 215
Chartier-Harlin, M.-C., see Levecque, C., 135
Chen, B., see Wang, J., 112
Chen, B.-Y., see Tian, Z.-Z., 92
Chen, N., see Yu, S., 58
Chen, W., see Duan, S., 139
Chen, W.-C., see Lin, J.-G., 39
Cheng, J.-T., see Lin, J.-G., 39
Cheng, Y.-w., see Lin, J.-G., 39
Cho, J.H., see Hwang, I.K., 272
Cho, S.-J., Jung, J.-S., Ko, B.H., Jin, I., Moon, I.S., Presence of translation elongation factor-1A (eEF1A) in the excitatory postsynaptic density of rat cerebral cortex, 29
Chung, Y.H., see Lee, E., 297
Clair, D.S., see Pritchard, A., 126
Clément, G., Maciel, F., Adjustment of the vestibulo-ocular reflex gain as a function of perceived target distance in humans, 115
Combarros, O., Infante, J., Llorca, J., Peña, N., Fernández-Viadero, C., Berciano, J., The chemokine receptor CCR5-Δ32 gene mutation is not protective against Alzheimer's disease, 312
Condés-Lara, M., see Martínez-Lorenzana, G., 154
Cordo, P., see Brumagne, S., 63
Costa, M.S., Funke, M.G., de Meis, L., Cavalheiro, E.A., da Graça Naffah-Mazzacoratti, M., *Status epilepticus* induced by pilocarpine and Ca^{2+} transport by microsome in the hippocampus of rats, 292
Cremieux, J., see Caron, O., 6
Cresswell, A.G., see Nordlund, M.M., 250
Cui, R.-F., see Liu, J.-H., 215

da Graça Naffah-Mazzacoratti, M., see Costa, M.S., 292
Díaz, J.-L., see Vargas-Pérez, H., 172
de Meis, L., see Costa, M.S., 292
De Mesquita, D.D., see Dickey, C.A., 10
Delacourte, A., see Borghi, R., 67
DelleDonne, A., see Paris, D., 80
Deng, Y., Newman, B., Dunne, M.P., Silburn, P.A., Mellick, G.D., Case-only study of interactions between genetic polymorphisms of GSTM1, P1, T1 and Z1 and smoking in Parkinson's disease, 326
Destée, A., see Levecque, C., 135
Dickey, C.A., De Mesquita, D.D., Morgan, D., Pennypacker, K.R., Induction of memory-associated immediate early genes by nerve growth factor in rat primary cortical neurons and differentiated mouse Neuro2A cells, 10
Denis Soignier, R., Vaccarino, A.L., Fanti, K.A., Wilson, A.M., Zadina, J.E., Analgesic tolerance and cross-tolerance to i.c.v. endomorphin-1, endomorphin-2, and morphine in mice, 211
Dietzschold, B., see Bette, M., 197
Ding, J.-H., see Yang, Y., 53
Doil, L., see Li, Y., 268
Duan, S., Xu, Y., Chen, W., Liu, Z., Guo, T., Gao, J., Bian, L., Zhen, Y., Li, X., Zhang, X., Pan, Y., Gu, N., Feng, G., He, L., No association between the promoter variants of tumor necrosis factor alpha (TNF-α) and schizophrenia in Chinese Han population, 139
Dubner, R., see Guan, Y., 201
Dunne, M.P., see Deng, Y., 326

Eaton, M.J., Ospina, C.A., Rodríguez, A.D., Eterović, V.A., Differential inhibition of nicotine- and acetylcholine-evoked currents through α4β2 neuronal nicotinic receptors by tobacco cembranoids in *Xenopus* oocytes, 97
Edwards, J.E., see Palmieri, R.M., 76
Elliott, D., see Handlovsky, I., 308
Endo, T., see Hara, S., 302

doi:10.1016/S0304-3940(04)00924-3

Eterović, V.A., see Eaton, M.J., 97
Evans, A.A.L., Smith, M.E., Opioid receptors in fast and slow skeletal muscles of normal and dystrophic mice, 339

Fan, X.-t., Xu, H.-w., Cai, W.-q., Yang, H., Liu, S., Antisense Noggin oligodeoxynucleotide administration decreases cell proliferation in the dentate gyrus of adult rats, 107
Fanti, K.A., see Denis Soignier, R., 211
Feng, G., see Duan, S., 139
Fernández-Viadero, C., see Combarros, O., 312
Fontanari, P., see Caron, O., 6
Fujii, Y., see Terada, N., 15
Fujimoto, Y., see Fujiwara, Y., 287
Fujiwara, Y., Tanaka, N., Ishida, O., Fujimoto, Y., Murakami, T., Kajihara, H., Yasunaga, Y., Ochi, M., Intravenously injected neural progenitor cells of transgenic rats can migrate to the injured spinal cord and differentiate into neurons, astrocytes and oligodendrocytes, 287
Funke, M.G., see Costa, M.S., 292
Furiya, Y., see Hirano, M., 120

Gao, J., see Duan, S., 139
Garcia, V., see Li, Y., 268
Gaudez, C., Le Bozec, S., Richardson, J., Does support surface coefficient of friction influence postural dynamics and isometric force productions of the upper extremities performed by seated subjects?, 245
Goate, A., see Li, Y., 268
Goulet, M., see Tay, J., 176
Grupe, A., see Li, Y., 268
Gu, N., see Duan, S., 139
Guan, Y., Guo, W., Robbins, M.T., Dubner, R., Ren, K., Changes in AMPA receptor phosphorylation in the rostral ventromedial medulla after inflammatory hyperalgesia in rats, 201
Guiba-Tziampiri, O., see Spandou, E., 24
Guo, T., see Duan, S., 139
Guo, W., see Guan, Y., 201

Hagishita, T., see Iwamoto, M., 277
Hakuno, H., see Ito, Y., 103
Handlovsky, I., Hansen, S., Lee, T.D., Elliott, D., The Ebbinghaus illusion affects on-line movement control, 308
Hansen, S., see Handlovsky, I., 308
Hara, S., Mukai, T., Kurosaki, K., Mizukami, H., Kuriiwa, F., Endo, T., Different response to exogenous L-arginine in nitric oxide production between hippocampus and striatum of conscious rats: a microdialysis study, 302
Hardy, J., see Li, Y., 268
Hartley, D.M., see Ye, C., 320
Hazell, A.S., see Chan, H., 231
He, J.-F., see Liu, J.-H., 215
He, L., see Duan, S., 139
Hemmings, G.P., see Wei, J., 336
Henn, F.A., see Seeger, G., 282
Hirano, M., Nishiwaki, T., Kariya, S., Furiya, Y., Kawahara, M., Ueno, S., Novel splice variants increase molecular diversity of aprataxin, the gene responsible for early-onset ataxia with ocular motor apraxia and hypoalbuminemia, 120
Hogan, M.V., Wieraszko, A., An increase in cAMP concentration in mouse hippocampal slices exposed to low-frequency and pulsed magnetic fields., 43
Holmans, P., see Li, Y., 268
Hong, C.-J., Huo, S.-J., Liao, D.-L., Lee, K., Wu, J.-Y., Tsai, S.-J., Case-control and family-based association studies between the *neuregulin 1* (Arg38Gln) polymorphism and schizophrenia, 158
Horiguchi, T., see Inouchi, M., 342
Horwitz, G.D., Batista, A.P., Newsome, W.T., Direction-selective visual responses in macaque superior colliculus induced by behavioral training, 315
Hsieh, C.-L., see Lin, J.-G., 39
Hu, G., see Yang, Y., 53
Hu, J.-M., see Liu, J.-H., 215
Huang, K., Itoh, K., Suwazono, S., Nakada, T., Electrophysiological correlates of grapheme-phoneme conversion, 254
Hummel, S., see Kristeva, R., 259
Huo, S.-J., see Hong, C.-J., 158
Hwang, I.K., Lee, J.C., Cho, J.H., Yoo, K.-Y., Kim, D.S., Nam, Y.S., Kim, W.-K., Lee, I.S., Kang, T.-C., Won, M.H., Very delayed neuronal loss occurs in the glomerular layer of the main olfactory bulb following transient ischemia in gerbils, 272

Ilvonen, T., Kujala, T., Kozou, H., Kiesiläinen, A., Salonen, O., Alku, P., Näätänen, R., The processing of speech and non-speech sounds in aphasic patients as reflected by the mismatch negativity (MMN), 235
Infante, J., see Combarros, O., 312
Ingersoll, C.D., see Palmieri, R.M., 76
Inouchi, M., Kubota, M., Ohta, K., Shirahama, Y., Takashima, A., Horiguchi, T., Matsushima, E., Human auditory evoked mismatch field amplitudes vary as a function of vowel duration in healthy first-language speakers, 342
Ishida, O., see Fujiwara, Y., 287
Ishido, M., Masuo, Y., Oka, S., Niki, E., Morita, M., *p*-Nitrotoluene causes hyperactivity in the rat, 1
Ishii, K., see Sakamoto, T., 264
Ito, C., see Ojima, T., 130
Ito, Y., Oyamada, Y., Okada, Y., Hakuno, H., Aoyama, R., Yamaguchi, K., Optical mapping of pontine chemosensitive regions of neonatal rat, 103
Itoh, K., see Huang, K., 254
Iwamoto, M., Hagishita, T., Shoji-Kasai, Y., Ando, S., Tanaka, Y., Age-related changes in the levels of voltage-dependent calcium channels and other synaptic proteins in rat brain cortices, 277

Jenkins, D.W., Langmead, C.J., Parsons, A.A., Strijbos, P.J., Regulation of calcitonin gene-related peptide release from rat trigeminal nucleus caudalis slices in vitro, 241
Jhoo, J.-H., see Kim, K.-W., 182
Jiménez, J.R., see Martínez-Lorenzana, G., 154
Jin, I., see Cho, S.-J., 29
Joulia, F., see Caron, O., 6
Jung, J.-S., see Cho, S.-J., 29

Kaiki-Astara, A., see Spandou, E., 24
Kajihara, H., see Fujiwara, Y., 287
Kang, T.-C., see Hwang, I.K., 272
Kariya, S., see Hirano, M., 120
Karkavelas, G., see Spandou, E., 24
Karrasch, M., Laine, M., Rapinoja, P., Krause, C.M., Effects of normal aging on event-related desynchronization/synchronization during a memory task in humans, 18
Kashiba, H., Uchida, Y., Takeda, D., Nishigori, A., Ueda, Y., Kuribayashi, K., Ohshima, M., TRPV2-immunoreactive intrinsic neurons in the rat intestine, 193
Kawahara, M., see Hirano, M., 120
Kendig, J.J., see Shumilla, J.A., 332
Kiesiläinen, A., see Ilvonen, T., 235
Kim, D.S., see Hwang, I.K., 272
Kim, K.-W., Suh, Y.-J., Park, W.-Y., Jhoo, J.-H., Lee, D.-Y., Youn, J.-C., Lee, K.-H., Seo, J.-S., Woo, J.-I., Choline acetyltransferase G +4 A polymorphism confers a risk for Alzheimer's disease in concert with Apolipoprotein E ε4, 182
Kim, S.I., see Song, I.-H., 148
Kim, W.-K., see Hwang, I.K., 272
Kimura, T., see Kuramochi, R., 206
Kingma, H., see Balter, S.G.T., 71
Ko, B.H., see Cho, S.-J., 29
Kozou, H., see Ilvonen, T., 235

Krause, C.M., see Karrasch, M., 18
Kristeva, R., Popa, T., Chakarov, V., Hummel, S., Cortico-muscular coupling in a patient with postural myoclonus, 259
Kubik, S., see Stuchlik, A., 162
Kubota, M., see Inouchi, M., 342
Kujala, T., see Ilvonen, T., 235
Kuramochi, R., Kimura, T., Nakazawa, K., Akai, M., Torii, S., Suzuki, S., Anticipatory modulation of neck muscle reflex responses induced by mechanical perturbations of the human forehead, 206
Kuribayashi, K., see Kashiba, H., 193
Kuriiwa, F., see Hara, S., 302
Kurosaki, K., see Hara, S., 302

Laine, M., see Karrasch, M., 18
Langmead, C.J., see Jenkins, D.W., 241
Lau, K., see Li, Y., 268
Le Bozec, S., see Gaudez, C., 245
Lee, D.-S., see Song, I.-H., 148
Lee, D.-Y., see Kim, K.-W., 182
Lee, E., Chung, Y.H., Park, J.-Y., Mun, G.H., Oh, C.S., Oh, S.H., Shin, D.H., The distribution of c-myb immunoreactivities in the adult mouse retina, 297
Lee, I.S., see Hwang, I.K., 272
Lee, J.C., see Hwang, I.K., 272
Lee, K., see Hong, C.-J., 158
Lee, K.-H., see Kim, K.-W., 182
Lee, T.D., see Handlovsky, I., 308
Lemmon, H., see Pritchard, A., 126
Lendon, C., see Pritchard, A., 126
Leong, D., see Li, Y., 268
Levecque, C., Destée, A., Mouroux, V., Amouyel, P., Chartier-Harlin, M.-C., Assessment of Nurr1 nucleotide variations in familial Parkinson's disease, 135
Li, J., see Liu, J.-H., 215
Li, X., see Duan, S., 139
Li, Y., Tacey, K., Doil, L., van Luchene, R., Garcia, V., Rowland, C., Schrodi, S., Leong, D., Lau, K., Catanese, J., Sninsky, J., Nowotny, P., Holmans, P., Hardy, J., Powell, J., Lovestone, S., Thal, L., Owen, M., Williams, J., Goate, A., Grupe, A., Association of *ABCA1* with late-onset Alzheimer's disease is not observed in a case-control study, 268
Liao, D.-L., see Hong, C.-J., 158
Lin, J.-G., Chen, W.-C., Hsieh, C.-L., Tsai, C.-C., Cheng, Y.-w., Cheng, J.-T., Chang, S.-L., Multiple sources of endogenous opioid peptide involved in the hypoglycemic response to 15 Hz electroacupuncture at the Zhongwan acupoint in rats, 39
Liu, J.-H., Li, J., Yan, J., Chang, X.-R., Cui, R.-F., He, J.-F., Hu, J.-M., Expression of c-fos in the nucleus of the solitary tract following electroacupuncture at facial acupoints and gastric distension in rats, 215
Liu, N., see Yu, S., 58
Liu, S., see Fan, X.-t., 107
Liu, X., see Yang, Y., 53
Liu, Z., see Duan, S., 139
Liu, Z.-L., see Wang, J., 112
Llorca, J., see Combarros, O., 312
Long, Y., see Yang, Y., 53
Lovestone, S., see Li, Y., 268

Ma, Y., see Yu, S., 58
Maciel, F., see Clément, G., 115
Mann, D.M.A., see Pritchard, A., 126
Martin, L.J., Persinger, M.A., Thermal analgesia induced by 30-min exposure to 1 μT burst-firing magnetic fields is strongly enhanced in a dose-dependent manner by the α_2 agonist clonidine in rats, 226
Martínez-Lorenzana, G., Jiménez, J.R., Condés-Lara, M., Interamygdaloid connection of basolateral nucleus through the anterior commissure in the rat, 154
Masuo, Y., see Ishido, M., 1
Matsushima, E., see Inouchi, M., 342
Mellick, G.D., see Deng, Y., 326
Mistry, D.J., see Palmieri, R.M., 76
Mizukami, H., see Hara, S., 302
Mizuno, Y., Takeuchi, T., Takatama, M., Okamoto, K., Expression of nestin in ballooned neurons in patients with Creutzfeldt–Jakob disease, 144
Moon, I.S., see Cho, S.-J., 29
Morgan, D., see Dickey, C.A., 10
Morita, M., see Ishido, M., 1
Mouroux, V., see Levecque, C., 135
Mukai, T., see Hara, S., 302
Mullan, M., see Paris, D., 80
Mun, G.H., see Lee, E., 297
Murakami, T., see Fujiwara, Y., 287

Näätänen, R., see Ilvonen, T., 235
Nakada, T., see Huang, K., 254
Nakazawa, K., see Kuramochi, R., 206
Nam, Y.S., see Hwang, I.K., 272
Newman, B., see Deng, Y., 326
Newsome, W.T., see Horwitz, G.D., 315
Nicol, G.D., see Zhang, Y.H., 187
Niki, E., see Ishido, M., 1
Nishigori, A., see Kashiba, H., 193
Nishiwaki, T., see Hirano, M., 120
Nordlund, M.M., Thorstensson, A., Cresswell, A.G., Conditioning Ia-afferent stimulation reduces the soleus Hoffman reflex in humans when muscle spindles are assumed to be inactive, 250
Nowotny, P., see Li, Y., 268

Ochi, M., see Fujiwara, Y., 287
Ogasawara, Y., see Sakamoto, T., 264
Oh, C.S., see Lee, E., 297
Oh, S.H., see Lee, E., 297
Ohara, O., see Terada, N., 15
Ohno, N., see Terada, N., 15
Ohno, S., see Terada, N., 15
Ohshima, M., see Kashiba, H., 193
Ohta, K., see Inouchi, M., 342
Ojima, T., Ito, C., Sakurai, E., Sakurai, E., Watanabe, T., Yanai, K., Effects of serotonin–dopamine antagonists on prepulse inhibition and neurotransmitter contents in the rat cortex, 130
Oka, S., see Ishido, M., 1
Okada, Y., see Ito, Y., 103
Okamoto, K., see Mizuno, Y., 144
Ospina, C.A., see Eaton, M.J., 97
Owen, M., see Li, Y., 268
Oyamada, Y., see Ito, Y., 103

Palmieri, R.M., Weltman, A., Tom, J.A., Edwards, J.E., Saliba, E.N., Mistry, D.J., Ingersoll, C.D., An experimental knee joint effusion does not affect plasma catecholamine concentration in humans, 76
Pan, Y., see Duan, S., 139
Papoutsopoulou, S., see Spandou, E., 24
Paris, D., Patel, N., DelleDonne, A., Quadros, A., Smeed, R., Mullan, M., Impaired angiogenesis in a transgenic mouse model of cerebral amyloidosis, 80
Park, J.-Y., see Lee, E., 297
Park, W.-Y., see Kim, K.-W., 182
Parsons, A.A., see Jenkins, D.W., 241
Patel, N., see Paris, D., 80
Peña, N., see Combarros, O., 312
Pennypacker, K.R., see Dickey, C.A., 10
Persinger, M.A., see Martin, L.J., 226
Piccini, A., see Borghi, R., 67

Ping Dai, R., Ping He, B., Thameem Dheen, S., Tay, S.S.W., Acute cardiac injury induces glial cell response and activates extracellular signaling-regulated kinase-1 and -2 in the spinal cord of Wistar rats, 34
Ping He, B., see Ping Dai, R., 34
Pinkerton, K.E., see Anderson, K.L., 86
Popa, T., see Kristeva, R., 259
Powell, J., see Li, Y., 268
Pritchard, A., Clair, D.S., Lemmon, H., Mann, D.M.A., Lendon, C., No association between polymorphisms in the lectin-like oxidised low density lipoprotein receptor (ORL1) gene on chromosome 12 and Alzheimer's disease in a UK cohort, 126

Quadros, A., see Paris, D., 80

Rapinoja, P., see Karrasch, M., 18
Ren, K., see Guan, Y., 201
Rezacova, L., see Stuchlik, A., 162
Richardson, J., see Gaudez, C., 245
Robbins, M.T., see Guan, Y., 201
Rodríguez, A.D., see Eaton, M.J., 97
Roehrenbeck, A., see Bette, M., 197
Rowland, C., see Li, Y., 268
Rusche, J., see Tay, J., 176
Rüter-Jungfleisch, A., see Seeger, G., 282

Sakamoto, T., Ogasawara, Y., Ishii, K., Takahashi, H., Tanabe, S., Accumulation of aluminum in ferritin isolated from rat brain, 264
Sakurai, E., see Ojima, T., 130
Saliba, E.N., see Palmieri, R.M., 76
Salonen, O., see Ilvonen, T., 235
Schloss, P., see Seeger, G., 282
Schmidt, M.H., see Seeger, G., 282
Schrodi, S., see Li, Y., 268
Seeger, G., Schloss, P., Schmidt, M.H., Rüter-Jungfleisch, A., Henn, F.A., Gene–environment interaction in hyperkinetic conduct disorder (HD + CD) as indicated by season of birth variations in dopamine receptor (DRD4) gene polymorphism, 282
Selkoe, D.J., see Ye, C., 320
Seo, J.-S., see Kim, K.-W., 182
Sheng, H., Spasojevic, I., Warner, D.S., Batinic-Haberle, I., Mouse spinal cord compression injury is ameliorated by intrathecal cationic manganese(III) porphyrin catalytic antioxidant therapy, 220
Shin, D.H., see Lee, E., 297
Shirahama, Y., see Inouchi, M., 342
Shoji-Kasai, Y., see Iwamoto, M., 277
Shumilla, J.A., Sweitzer, S.M., Kendig, J.J., Acute and chronic ethanol does not affect incisional pain in neonatal rats, 332
Silburn, P.A., see Deng, Y., 326
Simeonidou, C., see Spandou, E., 24
Simons, C.T., see Anderson, K.L., 86
Smeed, R., see Paris, D., 80
Smith, M.E., see Evans, A.A.L., 339
Sninsky, J., see Li, Y., 268
Song, I.-H., Lee, D.-S., Kim, S.I., Recurrence quantification analysis of sleep electoencephalogram in sleep apnea syndrome in humans, 148
Soubasi, V., see Spandou, E., 24
Spandou, E., Soubasi, V., Papoutsopoulou, S., Karkavelas, G., Simeonidou, C., Kaiki-Astara, A., Guiba-Tziampiri, O., Erythropoietin prevents hypoxia/ischemia-induced DNA fragmentation in an experimental model of perinatal asphyxia, 24
Spasojevic, I., see Sheng, H., 220
Stokroos, R.J., see Balter, S.G.T., 71
Strijbos, P.J., see Jenkins, D.W., 241
Strocchi, P., see Borghi, R., 67
Stuchlik, A., Rezacova, L., Vales, K., Bubenikova, V., Kubik, S., Application of a novel Active Allothetic Place Avoidance task (AAPA) in testing a pharmacological model of psychosis in rats: comparison with the Morris Water Maze, 162
Suh, Y.-J., see Kim, K.-W., 182
Suk, K., Minocycline suppresses hypoxic activation of rodent microglia in culture, 167
Sun, J., see Yang, Y., 53
Suwazono, S., see Huang, K., 254
Suzuki, S., see Kuramochi, R., 206
Sweitzer, S.M., see Shumilla, J.A., 332

Tabaton, M., see Borghi, R., 67
Tacey, K., see Li, Y., 268
Takahashi, H., see Sakamoto, T., 264
Takashima, A., see Inouchi, M., 342
Takatama, M., see Mizuno, Y., 144
Takeda, D., see Kashiba, H., 193
Takeuchi, T., see Mizuno, Y., 144
Tanabe, S., see Sakamoto, T., 264
Tanaka, N., see Fujiwara, Y., 287
Tanaka, Y., see Iwamoto, M., 277
Tay, J., Goulet, M., Rusche, J., Boismenu, R., Age-related and regional differences in secretin and secretin receptor mRNA levels in the rat brain, 176
Tay, S.S.W., see Ping Dai, R., 34
Tayebati, S.K., see Tullio, M.A.D., 48
Terada, N., Ohno, N., Yamakawa, H., Baba, T., Fujii, Y., Ohara, O., Ohno, S., Protein 4.1B localizes on unmyelinated axonal membranes in the mouse enteric nervous system, 15
Thal, L., see Li, Y., 268
Thameem Dheen, S., see Ping Dai, R., 34
Thorstensson, A., see Nordlund, M.M., 250
Tian, S., see Yu, S., 58
Tian, Z.-Z., Zhao, H., Chen, B.-Y., Decreased hypothalamic aromatization in female rats of true precocious puberty, 92
Tom, J.A., see Palmieri, R.M., 76
Torii, S., see Kuramochi, R., 206
Tsai, C.-C., see Lin, J.-G., 39
Tsai, S.-J., see Hong, C.-J., 158
Tullio, M.A.D., Tayebati, S.K., Amenta, F., Identification of adenosine A1 and A3 receptor subtypes in rat pial and intracerebral arteries 48

Uchida, Y., see Kashiba, H., 193
Ueda, Y., see Kashiba, H., 193
Ueno, S., see Hirano, M., 120
Uyeminami, D., see Anderson, K.L., 86

Vaccarino, A.L., see Denis Soignier, R., 211
Vales, K., see Stuchlik, A., 162
van Luchene, R., see Li, Y., 268
Vargas-Pérez, H., Borrelli, E., Díaz, J.-L., Wheel running use in dopamine D2L receptor knockout mice, 172
Verschueren, S., see Brumagne, S., 63

Walsh, D.M., see Ye, C., 320
Wang, F., see Yang, Y., 53
Wang, J., Zhao, C., Chen, B., Liu, Z.-L., Corrigendum to "Polymorphisms of dopamine receptor and transporter genes and hallucinations in Parkinson's disease" [Neurosci. Lett. 355 (2004) 193–196], 112
Warner, D.S., see Sheng, H., 220
Watanabe, T., see Ojima, T., 130
Wei, J., Hemmings, G.P., Lack of a genetic association between the frizzled-3 gene and schizophrenia in a British population, 336
Weihe, E., see Bette, M., 197
Weltman, A., see Palmieri, R.M., 76
Wieraszko, A., see Hogan, M.V., 43
Williams, J., see Li, Y., 268
Wilson, A.M., see Denis Soignier, R., 211

Won, M.H., see Hwang, I.K., 272
Woo, J.-I., see Kim, K.-W., 182
Wu, J.-Y., see Hong, C.-J., 158

Xu, H.-w., see Fan, X.-t., 107
Xu, Y., see Duan, S., 139

Yamaguchi, K., see Ito, Y., 103
Yamakawa, H., see Terada, N., 15
Yan, J., see Liu, J.-H., 215
Yanai, K., see Ojima, T., 130
Yang, H., see Fan, X.-t., 107
Yang, Y., Liu, X., Ding, J.-H., Sun, J., Long, Y., Wang, F., Yao, H.-H., Hu, G., Effects of iptakalim on rotenone-induced cytotoxicity and dopamine release from PC12 cells, 53
Yao, H.-H., see Yang, Y., 53
Yasunaga, Y., see Fujiwara, Y., 287
Ye, C., Walsh, D.M., Selkoe, D.J., Hartley, D.M., Amyloid β-protein induced electrophysiological changes are dependent on aggregation state: *N*-methyl-D-aspartate (NMDA) versus non-NMDA receptor/channel activation, 320
Yoo, K.-Y., see Hwang, I.K., 272
Youn, J.-C., see Kim, K.-W., 182
Yu, S., Liu, N., Zeng, T., Tian, S., Chen, N., Zhou, Y., Ma, Y., Age-related effects of bilateral frontal eye fields lesions on rapid eye movements during REM sleep in rhesus monkeys, 58

Zaccheo, D., see Borghi, R., 67
Zadina, J.E., see Denis Soignier, R., 211
Zeng, T., see Yu, S., 58
Zhang, X., see Duan, S., 139
Zhang, Y.H., Nicol, G.D., NGF-mediated sensitization of the excitability of rat sensory neurons is prevented by a blocking antibody to the p75 neurotrophin receptor, 187
Zhao, C., see Wang, J., 112
Zhao, H., see Tian, Z.-Z., 92
Zhen, Y., see Duan, S., 139
Zhou, Y., see Yu, S., 58